



# He Gazette of India

# असाधारण EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii) PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं॰ 416] No. 416] नई विल्लो, शुक्रवार, श्रश्तूधर 17, 1986/प्राधियन 25, 1908 NEW DELHI, FRIDAY, OCTOBER 17, 1986/ASVINA 25, 1908

इस भाग में भिन्न पृष्ठ संख्या वो जाती है जिससे कि यह अलग संकलन को कप में रखा जा सको

Separate Paging is given to this Part in order that it may be filed as a separate compilation

# परिवहन मंत्रालय

.(जल भूतल परिवहन विभाग)

अधिस् धना

ा नई दिल्ली 17 धनत्वर, 1986

का. भा 739 (भ)—केन्द्रीय सरकार, मोटर यान सिविन्मम, 1939 की धारा 36, उपधारा (3) द्वारा प्रदत्त सक्तियों का प्रयोग करते हुए एतद्वारा निम्नानिखित टैक्टर-ट्रेलर कम्बीनेकरण के पंजीकरण को धनुमोदन प्रदान करती हैं, जिनका ध्यौरा संलग्न धनुसूत्री में किया क्षणा है:— सन्भुत्रो

1. दैसर ग्रीर दैस्टर का प्रकार

मैसर्स गोल्डहाफर फारज्यूगवार्क जी एम वी एक एण्ड कम्पनी, मौनन्गन पृष्टिकम जर्मनी द्वारा निर्मित हार्डक्रॉलिक हैवी स्पृटी ट्रेलर श्रीर तीन एक्सल फौरवारड

कंट्रोत दक द्रैक्टर

मैसर्ज एयरफरेट प्राईबेट लिमिटेड, बम्बई।

2. स्वामित्व

3. दैलर का व्यौरा

कम सं. चेसिस सं.	4	सल भार कि.बा. देलर		ट्रैलर की लम्बाई	द्रेलर <b>भीर द्रैक्टर</b> क
	म्रार एल जब्ल्यू कि.प्रा.	एम एः	म	एम एम	कुल लम्बाई एम एम
1 2	3	4	5	5	7
1 . 12470	120000	30000	3000	9030	1677(
2. 12471	120000	30000	3000	9030	16770
3. 12472	120000	30000	3000	9030	1677
4. 12473	180000	30900	3000	12030	19770
5. 12474	180000	30000	3000	12030	19770

🚣 दैक्टर का श्यौरा

एम.सं.एन. मेक (40 — 440 डी.एक सं. ट. 6×6

(i) धेसिज संख्या

449006006

इंजिन संख्या

436-3746-124-6121

(ii) चेसिज संख्या

**इ**ब्स्यू एम ए. 5480039 एक 003723

इंजिन समया

458 - 5308 - 0576 - 123

(iii) हर एक का फोट एकसल भार—8500 कि. प्रा. हर एक को रियर एक्सल भार 16000× 2 कि.गा.

- उपर्यक्त छट इस मर्स पर दी जाएगी कि :---
  - (i) ट्रैक्टर-ट्रैलर का प्रचालन किफायती तौर (पर) किया जाए.
  - (ii) लोक निर्माण विमाग/स्थानीय प्राधिकारियों द्वारा अनुबद्ध विभिन्न सड़कों पर लगाए गए लदान प्रतिबंध पर निगरानी र**खी जाए**ग तथा बाहन को सङ्क पर लाते सपय हर बार इन प्राधिकारियों से अनुपति ली जाएगी इस प्रकार की प्रत्यक गतिविधि सङ्क प्राधिकारियों द्वारा अनुमति दी जायेगी ओर सुरक्षा की वृष्टि से मानिटर की जायेगी।
  - (iii) लडे हुए बाहुनों को सड़क के उथर अने हुए पुलों पर से गुजरने की प्रमुमित नहीं दी जाएकी तथा नदियों / नालों को पार करने के∡ लिए राज्य के लोक निर्माण विभाग के निर्वेशन के अनुसार आवेदकों को अपना प्रवंध स्वयं करना होगा,
  - (iv) बाहन द्वारा सभी खतरे सूचक अटों भीर वस्तियों का प्रदर्शन किया जाए, विशेष सप्,से ऐसे बाहन, के भागे भीर पीछे ृएक-एक बाहन हो जिस पर स्पष्ट रूप से प्रविशत हो कि भारी लवान काला वाहन हो गुजर रहा है ,
    - (v) सड़क की जौडाई के साथ-साथ ट्रेलरों के युग्मकों को प्रतृतित नहीं दी जाएगी। रे
  - (vi) बाहुत के आवागमन के कार्यक्रम की सूचना सन्त्रद्र निमाणीय इंजीनियरीं की कम से कम 10 दिन पहने दे दी जाए तथा उनकी क्लीयरेश भी लेली जाये।
    - (vii) यह भावतस्त किया जाए कि इस बाहन के चलते समय कोई भ्रन्य वाहन सहक पर न हो। 🚡
  - (viii) ट्रांजिट के दोरान उक्त कम्बीनेक्षरण अवव। उनके पत्टेन्टम द्वारा की जाने वाली क्षति के लिए राजमार्ग एवं ग्रामीण कार्य विभाग उस्तरवायी
  - (ix) उन्त बाहन ट्रैफिक की. सामान्य गाति में बिता कोई रूकावट शले चलाया जायगा।
  - (x) बाहन राजमार्ग एव ग्रामीण कार्य विभाग द्वारा निर्धारित की गई गित पर ही चलाय जायेग:।

[फा. स. धार.टी.-11011 (11) / 86-टा ए वि]

बी. मार. चक्हाण, संयुक्त सचिब,

# MINISTRY OF TRANSPORT

# (Department of Surface Transport)

# NOTIFICATION

### New Delhi, the 17th October, 1986

S.O. 739(E):-In exercise of the powers conferred by sub-section (3) of Section 36 of the Motor Vehicles Act, 1939, the Central Government hereby accords approval to the registration of following tractor trailer combinations, the description of which is given in the schedule appended hereto :-

## **SCHEDULE**

1. Type of Trailer & Tractor

Hydraulic heavy duty trailers and three axled forward control truck tractor manufactured by M/s Goldhofer Fahrzeugwerk GMBH and Company, Memmingen, West Germany.

M/s Airfreight Pvt Limited, Bombay.

2. Owned by 3. Description of trailer:---

S.No.	Chassis number	Gross laden weight (RLW) Kgs.	Axle Weight Kgs.	Width of trailer (mm)	Length of trailer (mm)	Overall length of trailer & tractors (mm)
1	2	3	4	5	6	7
1.	12470	120000	30000	3000	9030	16770
2.	12471	120000	30000	3000	9030	16770
3.	12472	120000	30000	3000	9030	16770
4.	12473	180000	30000	3000	12030	19770
5,	12474	180000	3000)	30))	12030	19770

Description of tractor

(i) Chassis No. Engine No.

(ii) Chassis No. Engine No.

> Front axle load of each Rear axle load of each

MAN type (40.460 DFAT). 6×6

449006006

436-3746-124-6121

WMA 548-0039-F-003-723 158-5308-0576-123

8500 Kgs.

 $16000 \times 2 \text{ Kgs}$ .

- 2. The above relaxation is subject to the condition that:—
  - (i) the operation of the tractor-trailers shall be done only sparingly;
  - (ii) load restrictions on various roads stipulated by the Public Works Department Local Authorities will be observed and permission of such authorities will be obtained everytime the vehicle is put on the roads. Each of such movement will be approved and closely monitored by the road authorities from safety point of view.
  - (iii) the leaded vehicles will not be allowed to pass over the bridges on the roads and the applicants will have to make their own arrangements to cross the rivers nallus as directed by the Public Works Department of State.
  - (iv) the vehicle should display all danger flags and lights, preferably the vehicle should be preceded and followed by a vehicle displaying prominently that a heavy load is passing.

- (v) coupling of trailers along the width of the road shall not be permitted.
- (iv) the programme of the movement of the vehicle should be intimated at least ten days in advance to the Divisional Engineers concerned and their clearance obtained.
- (vii) it should be ensured that no other vehicle is on the structure while this vehicle is moved.
- (viii) The Highways and Rural Works Department is not responsible for any damage that may be sustained either by the said Combination or their contents during the transit.
- (ix) The said vehicle shall be moved without any hindrance to the normal flow of traffic,
- (x) The vehicle shall be moved at a speed recommended by the State Highways and Rural Works Department.

[F. No. RT-11011 (11)|86-TAG]
B.R. CHAVAN, Jt. Secy.